


HIGH PRESSURE STEEL CYLINDERS

SIZE REFERENCE CHART



HIGH PRESSURE STEEL CYLINDERS

MODEL	Specifications	Service Pressure	Diameter	Height	MODEL	Specifications	Service Pressure	Diameter	Height
20 CF	UN ISO 9809-1 DOT-3AA2015	2,234 (154)	5.2 (133)	14.8 (375)	250 CF	UN ISO 9809-1 DOT-3AA2265	2,524 (174)	9.0 (229)	51.6 (1,310)
		2,015 (139)	5.2 (133)	14.8 (375)			2,265 (156)	9.1 (232)	50.4 (1,280)
40 CF	UN ISO 9809-1 DOT-3AA2015	2,234 (154)	7.0 (178)	17.9 (455)	300 CF	UN ISO 9809-1 DOT-3AA2400	2,669 (184)	9.3 (235)	55.5 (1,410)
		2,015 (139)	7.0 (178)	17.3 (439)			2,400 (166)	9.1 (232)	56.5 (1,435)
55 CF	UN ISO 9809-1 DOT-3AA2015	2,234 (154)	7.0 (178)	23.2 (590)	45L 310 BAR	UN ISO 9809-2	4,496 (310)	9.4 (239)	50.8 (1,290)
		2,015 (139)	7.0 (178)	22.5 (572)			6,004 (414)	9.3 (235)	53.7 (1,365)
80 CF	UN ISO 9809-1 DOT-3AA2015	2,234 (154)	7.0 (178)	32.1 (815)	43.3L 414 BAR	UN ISO 9809-2	6,004 (414)	9.3 (235)	53.7 (1,365)
		2,015 (139)	7.0 (178)	31.0 (787)			2,175 (150)	10.5 (267)	58.7 (1,491)
125 CF	UN ISO 9809-1 DOT-3AA2265	2,524 (174)	7.0 (178)	42.7 (1,085)	68 L (100 LB CO ₂)	DOT-3AA2175	2,175 (150)	10.5 (267)	58.7 (1,491)
		2,265 (156)	7.0 (178)	41.7 (1,060)			2,175 (150)	10.5 (267)	70.5 (1,791)
150 CF	UN ISO 9809-1 DOT-3AA2015	2,234 (154)	7.4 (188)	46.3 (1,175)	82.5 L (125 LB CO ₂)	DOT-3AA2175	2,175 (150)	10.5 (267)	70.5 (1,791)
		2,015 (139)	7.4 (188)	46.1 (1,170)					